

	<ul style="list-style-type: none"> • To provide health promotion material relevant to customers and make this available to pharmacies. • To request the distribution of customer experience questionnaires by the pharmacies.
<p>A</p>	<p><u>Combined Sexual Health Service</u></p> <p>A Framework for Sexual Health Improvement in England</p> <p>The Framework for Sexual Health Improvement sets out the Government’s ambitions for good sexual health for the whole population. The framework underpins key principles of best practice in sexual health commissioning. These are:</p> <ul style="list-style-type: none"> • Prioritising the prevention of sexual and reproductive health • Strong leadership and joined-up working; • Focusing on outcomes and our most vulnerable residents including young people. • Considering priority groups such as looked after children, care leavers, substance misusers and sex workers. <p>The framework offers an evidence, interventions and actions to improve sexual health outcomes, which include:</p> <ul style="list-style-type: none"> • Offering accurate, high quality and timely information that helps people to make informed decisions about relationships, sex and sexual health. • Preventative interventions that build personal resilience, self-esteem and promote healthy lifestyle choices. • Rapid access to confidential, open-access, sexual health services in a range of settings, accessible at convenient times. • Early, accurate and effective diagnosis and treatment of sexually transmitted infections (STIs) combined with the notification and treatment of partners who may be at risk. • Joined-up provision that enables seamless customer journeys across a range of sexual health and other services in primary, secondary and community settings. <p><u>Public Health Outcomes Framework</u></p> <p>The PHOF indicators that are relevant to the pharmacy sexual health service are:</p> <ul style="list-style-type: none"> • Chlamydia and Gonorrhoea detection rate per 100,000 aged 15-24 years old. • Under 18 conception rates. • Under 25 repeat abortions.

Sexual Health Prevalence Local Context

Most adults are sexually active and good sexual health is important to individuals and communities. Poor sexual health can lead to sexually transmitted infections (STI's) and unintended pregnancies. Redbridge has the 76th highest rate (out of 326 local authorities in England) of new STIs excluding chlamydia diagnoses in 15-24 year olds, with a rate of 874 (compared to 900 per 100,000 in England).

In 2019, there were 22 new HIV diagnoses in individuals aged 15 years and above in. The diagnosed HIV prevalence was 2.36 per 1,000 population aged 15-59 years in people being seen for HIV care who are resident in Redbridge (compared to 2.39 per 1,000 in England).

Redbridge, between 2017 and 2019, 40% of HIV diagnoses were made at a late stage of infection within 3 months of diagnosis, compared to 43.1% in England.

The total rate of long-acting reversible contraception (LARC) (excluding injections) prescribed in primary care, specialist SHSs and non-specialist SHSs was 23.9 per 1,000 women aged 15-44 years in Redbridge and 49.5 per 1,000 women in England. The rate prescribed in primary care was 10 in Redbridge and 29.2 in England. The rate prescribed in the other settings was 13.9 in Redbridge and 20.3 in England. (This data is also for 2018).

In 2018, Redbridge's under 18s conception rate was 9.9 compared to 16.7 in England

Service Aim

The sexual health service requires the Provider to provide free and confidential sexual health services incorporating sexual health information and advice, Emergency Hormonal Contraception (EHC), Chlamydia screening, Chlamydia treatment, and Condoms as follows and aim to:

- Promote a preventative approach to sexual health and healthy living through information, advice and early intervention.
- Increase the availability and provision of high quality, cost effective sexual health interventions in Redbridge
- Increase the uptake of the C-card condom distribution scheme amongst young people and increase condom use for our most at risk populations.
- Increase detection rates for STI, in particular Chlamydia and Gonorrhoea (CnG).
- Increase access to treatment of Chlamydia to young people and partners to reduce transmission rates.
- Reduce unintended conceptions for females aged 13 to 25 by improving access to Emergency Hormonal Contraception (EHC). Over the life of the contract, the age range maybe subject to change.
- Promote Long Acting Reversible Contraception (LARC) to women accessing condoms and EHC and offer signposting to Integrated Sexual Health Services (BHRUT/All East) or their GP.
- Provide high quality information & advice about safe sex and STIs.

- Provide high quality signposting to other health services (i.e. stop smoking, domestic violence support and addiction services).
- Work in partnership with local services (such as safeguarding and young people's services) to promote and support sustained behaviour change interventions.

Service Outcomes

Sexual health services commissioned through pharmacies are part of a wider sexual health pathway and system. Services will achieve and/or contribute to the following outcomes:

- Promote a preventative approach to sexual health and healthy living through information, advice and education.
- Increased customer choice and access to sexual health services.
- Improved access to services particularly among those at risk and highest needs including:
 - Young people and vulnerable young people (such as but not limited to domestic sexual violence, exploitation and substance misuse) aged 13-25.
 - Black and minority ethnic groups
 - Sex workers
 - Men who have sex with men (MSM).
 - People living with HIV
 - Substance misusers
 - Looked after children and Care leavers
- Increased uptake of the National Chlamydia Screening Programme (NCSP) for 15-24 year olds and achievement of coverage and diagnostic detection rate target of $\geq 2,300$ chlamydia diagnoses per 100,000.
- Reduce incidence of STIs amongst young people aged 15-24 years old.
- Increase access to EHC to females ages 13 to 25. Pharmacies should act by promoting and registering customers for all elements of the sexual health services including LARC signposting (where applicable).
- Contribute to increase LARC uptake to reduce unwanted pregnancies in all ages as evidenced by conception and abortion rates.
- Reduce onward transmission of all STIs.
- To help reduce unwanted pregnancies.

Eligibility

This service is available to:

- Redbridge residents only. The Come Correct scheme will be available to young people under the age of 24 from participating boroughs across London.
- Aged 15-24 (condom card, chlamydia and gonorrhoea screening kits)
- Women aged 13-25 for EHC (age may be subject to change during the duration of contract).

- C-card scheme available-Young people under the age of 25 (13 to 24 years) and Redbridge residents that are from one or more of the following high-risk groups such as:
 - Black and minority ethnic groups,
 - Men who have sex with men (MSM)
 - Sex workers
 - Victims of Domestic Violence (DV)
 - Substance misusers
 - People living with HIV
- Chlamydia treatment to positively diagnosed 15 to 24year olds and their partners (can include partners aged over 24).

Customers under 16

The age of consent (the legal age to have sex) in the UK is 16 years old. The laws are there to protect children from abuse or exploitation, rather than to prosecute under-16s who participate in mutually consenting sexual activity¹.

If pharmacy staff suspect a young person under the age of 16 is having non-consensual sex pharmacy, staff should identify signs of abuse and/or neglect. Signs may include but no exhaustive to forms of physical, neglect, emotional and sexual abuse. Further information can be found at <https://www.rpharms.com/resources/quick-reference-guides/protecting-children-and-young-people#suspected>

Pharmacy staff concerned about and/or who identify a young person at risk of abuse should contact the Councils safeguarding team as follows:

Tel: 020 8708 3885

E-mail: CPAT.referrals@redbridge.gov.uk

During the evening or at weekends, please call the Emergency Duty Team on 020 8708 5897.

If a child is in immediate danger, please call the police on 999.

Exclusion criteria

The service or any treatment could be withheld from a customer:

- Who has not validly consented to the services
- Who is unsuitable (or temporarily unsuitable) on clinical grounds.
- Eligibility criteria excluded within the PGDs.

Service Referrals

Customers can access this service through self-referral. Providers are expected to develop relationships with a range of local organisations to establish and maintain

clear referral pathways. For Sexual Health interventions the specific services that can refer are:

- BeWize, Young People's Sexual Health Services (Westminster Drug Project, WDP)
- BHRUT Integrated Sexual Health Service
- All East Integrated Sexual Health Service (Bart's Health)
- Positive East
- Redbridge Safeguarding team
- Refuge

Interventions

Assessment

Pharmacies must complete a sexual health assessment with all registered customers. This is an opportunity for pharmacies to assess the needs of customers and offer interventions. Pharmacies must:

- See customers as soon as possible. If this cannot be done immediately the customer must be offered a time to return or directed to the nearest alternative pharmacy providing this service or nearest alternative provider.
- Ensure pharmacy staff direct requests for EHC and chlamydia screening and treatment discreetly to the Lead Pharmacist.
- Undertake service activities in a private consultation area, unless advised otherwise by the customer. Consultations with customers under the age of 16 **MUST** take place in a private area where conversations will not be overheard by staff or other customers / customers.
- In accordance with NHS guidance, offer all customers a chaperone for the duration of their consultation.
- Inform all customers that the consultation is confidential, and information will not be passed onto any third party without their consent (except in cases requiring disclosure under child protection procedures).
- Apply the Fraser competency assessment for under 16 years of age.
- For each consultation, the Lead Pharmacist should complete an assessment form template on PharmOutcomes (or any other system commissioned by the Council).
- Work within the agreed Patient Group Directive (PGD).
- Provide a YP friendly service

Come Correct Condom Card Scheme (C Card)

The Come Correct (or C Card) scheme provides access to free condoms and lubricants in a variety of locations (called Outlets) in Redbridge. Once registered customers can collect condoms or get advice from any outlet displaying the Come Correct logo.

Issuing C Cards/Condoms

- The pan-London scheme Come Correct, enables young people to access free condoms at participating pharmacies and other sites across London. Pharmacies will be informed of the requirements for recording activity (Therapy Audit) and the associated payment mechanism on PharmOutcomes.
- Young people do not have to be sexually active in order to join the C Card scheme. Pharmacies must follow the guidance provided by the local C Card scheme - on issuing condoms to young people under 16.
- Pharmacies should use the template within Therapy Audit (or any other commissioned system) and record the outcome. Information still needs to be duplicated at PharmOutcomes for payment.
- Pharmacies should cover the following areas below before agreeing how many condoms are required and issuing them:
 - The young person's relationships and any sexual activity.
 - Discuss the age of consent and introduce delay messages where appropriate.
 - Relevant information available online and in print about sexual health and contraception.
 - Condom demonstration, including what to do if a condom breaks.
 - Information about sexual health services including BHRUT Integrated sexual health Service and access to emergency hormonal contraception and other contraception including LARCs.
 - How the C-Card Scheme works including all the current C-Card outlets, identifying which outlet they can use to get condoms in the future.
- Participants should be given 8-10 condoms and 1 lubricants either at new registrations or replenishment.
- Pharmacies can also direct service users to online registrations at <http://www.comecorrect.org.uk>
- All sexually active participants aged 15 to 24 that access the C-card scheme must be offered a Chlamydia screen
- All service users presenting to the c-card scheme that fall within the vulnerable categories, the Pharmacist will ensure that service information on the full range of local sexual health services (including how to access Pre-exposure Prophylaxis (PEP) and PEPSE) is also provided.

Supply of condoms and cards can be ordered from the Bewize service at bewize@wdp.org.uk or 0300 303 4551 following the requested template. A minimum time period of 48 hours' notice should be given to account for postage and delivery

Issuing emergency condoms

Emergency condoms should only be issued when:

- A young person attends and asks for condoms but does not want to sign-up for a C-card; they can still be given up to three condoms under the scheme, provided that the young person has engaged in the "Issuing C Cards" steps outlined above.

- A young person from a neighbouring borough attends the service but is not eligible for the C Card. They should be signposted to the condom card scheme outlet in their borough. Further information about condom cards outlets can be found at <http://www.comecorrect.org.uk/Default.aspx>
- Issuing emergency condoms should not to be openly advertised or specifically encouraged, but those choosing to access the scheme in this manner must not be penalised or stigmatised. It is vital to ensure that they are made aware of the benefits of joining without a prejudicial attitude to their choice that could cause them to abandon condom access altogether.

C-Card replenishments

- Customers who already have a C-Card may attend for replenishment of their cards.
- Trained staff can give out supplies.
- The card number should be recorded on Therapy Audit and a copy recorded on PharmOutcomes or any other system commissioned by the Council, and the date and supplier recorded on the back of the card.
- Replenishments are usually given 8-10 condoms and 1 lubricant or as directed by the Bewize service.

Chlamydia and Gonorrhoea (CnG) Screening Kits

- Every customer aged 15-24 accessing the pharmacy should be offered a Chlamydia and Gonorrhoea screening kit plus an additional kit(s) for their partner(s) if within the eligible population.
- Pharmacies will be provided with Chlamydia and Gonorrhoea self-sampling kits free of charge by the Bewize service) or any other provider commissioned by the Council.
- Kits can be reordered using the form template provided by the Bewize service and can be ordered at bewize@wdp.org.uk
- Customers provided with a Chlamydia and Gonorrhoea self-sampling screening kit can find instructions on how to use it inside the kit.
- Customers should be advised to return samples in the sealed bag and complete the forms provided as detailed in the instructions. If this is a barrier to the customer taking the screen, the pharmacy should offer to take the sample in store where toilet facilities are available to customers. Support should be provided to complete the sample form and/or return the sample(s) on behalf of the customer including provision of a suitable sample (sufficient urine e.g.)
- Customers declining a screening test should be given a kit in case they change their mind where the sample can be posted later on.

- Customers can also obtain free of charge screening kits from the Bewize service and can be ordered at **bewize@wdp.org.uk**
- Pharmacies must ensure that each screening kit includes pharmacy details (name and site codes) to ensure payment is made.
- Ensure test form and correct sample are posted in the freepost and envelope provided by Bewize within 72 hours of sample being taken.
- The number of kits provided to customer should be recorded on PharmOutcomes.
- The mandated sections on PharmOutcomes or any future information management system commissioned by the Council must be completed prior to distributing any kits.
- Reported activity on PharmaOutcome or any other system commissioned by LBR will be used to generate quarterly invoices.
- Payments will be made based on usable samples received by The Doctors Laboratory (TDL) and positive results identified by the laboratory via the Bewize service.
- Pharmacists should ensure their site code provided by the BeWize service and recorded
- Initiate partner notification and encourage partners of service users to all also get tested
- A Chlamydia screen must be offered with every EHC and C-card service for every eligible resident.
- The combined offer by pharmacies will be monitored for performance.

Chlamydia Treatment

- Pharmacies must provide treatment in accordance with the approved PGDs and with the client's consent.
- Type of treatment provided should be recorded on PharmaOutcomes using the appropriate template for information and invoicing
- Initiate partner notification as part of the Chlamydia care pathway

Patients aged 15 to 24 years with either a written letter / report/email stating Chlamydia positive from a clinic, the Chlamydia Screening Programme or any other provider e.g. Bewize service, SHL, TDL or PreventX or a text message or telephone message confirming Chlamydia positive or other reasonable evidence of a positive chlamydia test can be provide with treatment as instructed by the PGD.

Sexual partners (of any age) of those diagnosed with genital Chlamydia Trachomatis attending for screening and epidemiological treatment can also be provide the service.

Where the patient or their partner cannot provide reasonable evidence of a positive chlamydia result, the pharmacist should inform them that this falls outside the terms of the PGD and signpost/ refer to Integrated Sexual Health clinic, BHRUT or All East.

- Patients aged under 15 falls outside the terms of the PGD and patients should be signposted/ referred to the Integrated Sexual Health service.
- Activity should be recorded on PharmOutcomes or any database commissioned by the Local Authority.

Emergency Hormonal Contraception

For the 2021/22 financial year, the LBR will be piloting the dispensing of Ulipristal-Acetate (where service users require) as well as Levonorgestrel. This will be reviewed at the end of the financial year to see if this will continue to be commissioned in future service specifications.

- At least one lead pharmacists must be trained to deliver EHC for this service to be delivered in Pharmacy
- Pharmacies/pharmacists who have completed relevant training, are authorised to use the PGDs and who have signed up with the council to deliver emergency hormonal contraception (EHC).
- A single pack of EHC can be supplied if the pharmacist is satisfied that EHC is appropriate and the User understands the circumstances in which EHC will be effective.
- The product may only be supplied for use at the time and not for future use.
- The User **MUST** take the medication on the premises, i.e. supervised consumption.
- All Users should be given a verbal warning on the side effects. If vomiting or severe diarrhoea occurs within 3 hours of taking the tablet, the User should seek further advice from a pharmacist, GP or Family Planning Clinic;
- Emphasise the failure rate and the need for follow up;
- Advise the practice of abstinence or careful use of barrier methods until the onset of the next menstrual period and discuss future contraceptive needs.
- Advise that Emergency hormonal contraception (EHC) can prevent pregnancy after unprotected sex or if the contraception used has failed – for example, a condom has split or a customer has missed the oral pill.
- Lead Pharmacists will supply Levonorgestrel or Ulipristal EHC when appropriate to customers in line with the requirements of a locally agreed Patient Group Direction (PGD) to females aged between 13–24 years old.

- Pharmacies will offer a user-friendly, non-judgmental, customer-centred and confidential service.
- EHC will be supplied in line with the EHC Levonorgestrel and Ulipristal PGDs
- The remunerated EHC pathway is outlined below:
 - **Delivering Chlamydia and Gonorrhoea screening to young people aged 15- 24 years of age**
 - **Issuing emergency condoms.**
 - **Registration for C Card.**
 - **Prescribe EHC**
- Supply will be made free of charge to the customer at LBR expense
- Lead Pharmacists must offer to refer EHC customers and repeat customers to the Integrated Sexual Health Service, or their GP for long acting reversible contraception (LARC) services.
- The pharmacy will provide support and advice to customers accessing the service, including advice on the avoidance of pregnancy and sexually transmitted infections (STIs) through safer sex and condom use, advice on the use of regular contraceptive methods and provide onward signposting to services that provide long-term contraceptive methods and diagnosis and management of STIs.
- Pharmacies must promote, offer and supply chlamydia and gonorrhoea screening to all customers aged 15-24 requesting EHC. Even if Chlamydia screening kit is refused, a kit should still be provided to them in the event they change their mind but pharmacist should actively advocate the combined sexual health service offer.
- Provide three condoms with each supply of EHC.
- Customers excluded from the PGD criteria include;
 - Under 13 years of age
 - Customers aged under 16 if not Fraser competent
 - Pregnant
 - Any known hypersensitivity to EHC Levonorgestrel or EHC Ulipristal other ingredients of product used.
 - More than 72 hours since unprotected sexual intercourse for Levonorgestrel or Ulipristal (UPSI) more than 120 hours following unprotected sexual intercourse (UPSI) or contraceptive method failure with the intention of preventing an unintended pregnancy.
 - UPA should be especially considered as superior to LNG **ONLY** in the following circumstances:
 - Women 70kg or BMI over 26kg
 - Mid cycle – 5 days either side of expected day of ovulation from 0-120 hours after UPSI i.e.
 - 28 day cycle : days 9-19
 - 30 day cycle: days 11-21
 - 26 day cycle : days 7-17
- Advise service users that if they do not have a period within 3-4 weeks of taking the tablet, they should visit local sexual health clinic or GP or the period is unusually light, short, or painful (possibility of failed method/ectopic pregnancy);
- They should be advised to take an early morning sample of urine with them to that appointment.

- They can attend the Integrated sexual health clinic or GP earlier to discuss ongoing contraception.
- Pharmacies must refer excluded customers via PharmOutcomes to another local service that will be able to assist them, as soon as possible; BHRUT Integrated Sexual Health Services or local GP.
- All customers supplied with EHC should receive information, advice and the benefits of long acting reversible contraception (LARC). Customers should be offered an electronic referral to their Integrated Sexual Health service to discuss LARC options.

IUD request: Clients requiring referral for IUD emergency contraception should be referred to the Integrated Sexual Health Services (ISHS). If possible, contact the clinic beforehand or advise the client to telephone and book an appointment. If not, to provide details of availability at other clinics.

Contact at <https://www.bhrhospitals.nhs.uk/sexual-health> or 0208 970 5724.

Contact All East at <https://www.alleast.nhs.uk/>

Staff competencies and training

All Lead Pharmacists and counter staff delivering this service are required to meet the following specific sexual health requirement and must demonstrate:

- Ability to provide sexual health information, advice and signposting Integrated Sexual Health Service (BHRUT, Bart's Health) and local healthy lifestyle services.
- The safe and effective use of condoms.
- Knowledge of contraception, STIs and safer sex.
- Ability to conduct a C-Card consultation and issue a card.
- Ability to facilitate customers to do a Chlamydia and gonorrhoea self-test.
- Effective communication with customers about sexuality and healthy lifestyles.
- Lead Pharmacists and counter staff are required to attend training provided by BHRUT Integrated Sexual Health Service or any other provider commissioned by the Council to deliver this service. Training includes but not limited to:
 - Introduction to sexual health in pharmacies
 - Condon card (c-card) training
 - CnG self-testing kit
 - Child protection and child sexual exploitation (CSE) training
 - EHC and chlamydia treatment PGD training and authorisation
 - Lead Pharmacists should receive training on the use of PGD EHC and PGD chlamydia treatment every three years unless specified by clinical guidance or by LBR

The Pharmacists are also required to undergo professional training relevant to sexual health attached to the Centre for Pharmacy Post graduate training (CPPE) such as:

- CPPE Emergency Contraception e-Learning Programme (3 Hours)
- CPPE Safeguarding Children Open Learning Programme (1.5 Hours)

- CPPE Contraception Open Learning Programme (12 Hours)
- CPPE Chlamydia screening and treatment
- CPPE sexual health in pharmacies

Please go to <https://www.cppe.ac.uk> for further modules available.

Training needs will be reviewed on regularly basis to monitor changing needs, improve service quality and implement clinical changes and good practice recommendations. In addition, Lead Pharmacists shall be responsible for identifying their own learning needs and recording their Continuing Professional Development (CPD).

Pharmacies should also undertake continuing professional development on a regular basis by at least one member of staff, who will if necessary, cascade the messages to other staff involved in the service.

Quality Assurance and Governance

No specific items

Payment Tariffs

Pharmacies will be paid for outcomes delivered. Sexual Health tariffs are set out in the tables below.

Activity	Tariff
Chlamydia and gonorrhoea screening kit returned to The Doctors Laboratory (TDL) via the Bewize service or any other service commissioned by the Council.	£12.00 per screen
Chlamydia and gonorrhoea positive case	£3.00 per case
Chlamydia End of Year Incentives >100 screens	TBC
Chlamydia Treatment per client	£10.00
C Card	
New C Card customer registration	£3.00
C Card re-registration (lost cards only)/Replenishment	£1.00
Emergency hormonal contraception (EHC) consultation	£18.00 plus drug cost
Chlamydia Treatment	£10.00
LARC referral	£1.00

Service Standards

The specific national standards and guidance related to Sexual Health include, but are not limited to:

- The Manual for Sexual Health Advisers. http://www.ssha.info/wp-content/uploads/ha_manual_2004_complete.pdf
- Service Standards for Sexual and Reproductive Healthcare (FSRH 2016)
- UK National Guideline on Safer Sex Advice (BASHH & BHIVA 2012)
- Recommended Standards for Sexual Health Services (MEDFASH 2005)
- Progress and Priorities - Working Together for High Quality Sexual Health (MEDFASH 2008)
- National Standards for the Management of Sexually Transmitted Infections (BASHH 2019)
- Chlamydia Screening Programme Standards (7th Edition 2018)
- One to one intervention to reduce the transmission of sexually transmitted infections (STIs) including HIV, and to reduce the rate of under 18 conceptions, especially among vulnerable and at risk groups (NICE 2007)
- Clinical Guidance – Emergency Contraception (FSRH 2017)

APPENDIX 1
CONTACT LIST

A	AREA	CONTACT
	Contract queries	Contracts & Procurement Team London Borough of Redbridge, Lynton House, 5th Floor Front, 255-259 High Rd, Ilford, IG1 1NN Tel: 020 8708 6765 Email: Tracy.Akposheri@redbridge.gov.uk
	Sexual Health Invoice and Payments	Aisha Baig Tel : 0208 708 5753 Email : PH.LES@redbridge.gov.uk or PH.TACCardInvoices@redbridge.gov.uk
	Public Health Service Contact	Email: Jasleen.Bhatia@redbridge.gov.uk
	Public Health Lead Commissioner	Email: Camille.Barker@redridge.gov.uk
	Ordering of Condoms and Chlamydia screening Test kit Training, screening and condom resources, courier service	Bewize Service Email: bewize@wdp.org.uk Tel: 0300 303 4551
	Child Protection/ Safeguarding Children's team	Duty social worker 020 8708 3781/3885 Cpat.referrals@redbridge.gov.uk Out of hours (after 5pm & weekends) or emergency call: Emergency Duty Team (EDT) 020 8708 5897 or switchboard 020 8554 5000 Website: http://www.redbridgelscb.org.uk
	Sexual Assault and Emergency IUD & Referrals	BHRUT Integrated Sexual Health Services If woman/male have been sexually assaulted, and needs to be urgently seen, a referral can be made directly on his/her behalf to BHRUT health advisor team at barking.administrators@nhs.net Or Service can provide contact information to service user to allow him/her to book an appointment or walk in when convenient by ringing 020 8924 6674 between 8am and 4pm Monday to Friday https://www.bhrhospitals.nhs.uk/sexual-health

APPENDIX 2

STATEMENT BY ACCREDITED PHARMACIST AGREEING TO ACT UNDER THE PATIENT GROUP DIRECTION AND SERVICE LEVEL AGREEMENT FOR THE SUPPLY OF EMERGENCY HORMONAL CONTRACEPTIVE.

I have undertaken EHC training, which practitioners must undertake before being authorized to supply Ulipristal/Levonorgestrel under this Patient Group Direction (PGD) and also the training on the operation of the PGD.

I understand that by agreeing to act as an approved practitioner under the patient group direction and service level agreement I am adjusting my scope of professional practice.

Name of Pharmacist (block capitals)	Signature of Pharmacist Date:	RPSGB registration number
Name of Pharmacy Contractor (If different)	Signature Date:	

This statement must be signed by all pharmacists to whom it applies.

One signed copy to be given to each pharmacist and the original to be returned to Redbridge Local Authority.